MONTASER®

reZULT®

STEM CELL SOLUTION

REVOLUTIONARY CARROT STEM CELL® HAIR GROWTH FACTORS

REZULT HAIR SOLUTION – PROPERTIES

- Help Hair Re-growth
- Inhibits DHT
- Unblocks the follicle entrance
- Opens the delivery channel for nutrients
- Enhances nutrient delivery to the stem cell
- Stimulates the dermal layer to prolong hair growth and strengthen hair
- Formulation is from Natural and Organic resources – at least 95% organic
- Free from Parabens - Such as Benzylparaben, Butylparaben, Isobutylparaben, Propylparaben
- Free from Silicones
- Free from Sulfates / Surfactants
- Free from animal by products (compound not tested on animals)

CASE STUDY

LIVING PROOF

The reZULT® Hair Solution was developed by Dr Montaser out of a need to find a solution for his own hair loss situation.

Unable to find an effective product in the existing market, Dr Montaser after spending three years of research & development has successfully in the development of a natural organic hair solution that has proven great result.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 3 MONTHS

Age 26 years old, male of European background has been losing his hair gradually over the last 4 years. He agreed to undertake a home care treatment protocol that involves daily application of reZULT serum (1.0ml per day) with a dermal roller (0.5mm).

The treatment was carried out daily over the course of three months with no side effects or adverse reaction reported.

Follow-up examinations occurred and results are shown.

BEFORE AFTER

MONTASER®

CASE STUDY

IN- CLINIC & HOME CARE TREATMENT

ONLY FOR 1 MONTH

Age 30 years old, Female of European background has been suffering from Alopecia areata over the past 5 years. She agreed to undertake a home care treatment protocol that involves daily application of reZULT serum (1.0ml per day) with a dermal roller (0.5mm) and one session of professional needling at skin clinic.

The treatment was carried out daily over the course of one month with no side effects. or adverse reaction reported.

Follow-up examinations occurred and results are shown.

BEFORE AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 3 MONTHS

Age 38 years old, male of sub-continent Pakistani background has been losing his hair gradually over the last 6 years.

He agreed to undertake a home care treatment protocol that involved daily application of Montaser reZULT serum (1.0ml per day) with a dermal roller (0.5mm). The treatment was carried out daily over the course of 3 months with no side effects or adverse events reported.

Follow - up examinations occurred every week and results are shown.

BEFORE AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 4 MONTHS

Age 38 years old, male of subcontinental Pakistani background has been losing his hair gradually over the last 4 years. He tried various home care topical mediation without any obvious outcome.

He agreed to undertake a home care treatment protocol that involved daily application of Montaser reZULT serum(1.0ml per day) with a dermal roller (0.5mm). The treatment was carried out daily over the course of 4 months with no side effects or adverse events reported.

Follow-up examinations occurred every week and results are shown.

BEFORE AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 3 MONTHS

Age 40 years old, male of subcontinental Indian background has been losing his hair gradually over the last 4 years.

He agreed to undertake a home care treatment protocol that involved daily application of Montaser reZULT serum(1.0ml per day) with a dermal roller (0.5mm). The treatment was carried out daily over the course of 3 months with no side effects or adverse events reported.

Follow-up examinations occurred every week and results are shown.

BEFORE AFTER

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 2 MONTHS

Age 26 years old, male of subcontinental Pakistani background has been losing his hair gradually over the last 5 years . He agreed to undertake a home care treatment protocol that involves daily application of reZULT serum (1.0ml per day) with a dermal roller (0.5mm).

The treatment was carried out daily over the course of two months with no side effects. or adverse reaction reported.

Follow-up examinations occurred and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 3 MONTHS

Age 44 years old, male of subcontinental Pakistani background has been losing his hair gradually over the last 10 years . He agreed to undertake a home care treatment protocol that involves daily application of reZULT serum (1.0ml per day) with a dermal roller (0.5mm).

The treatment was carried out daily over the course of three months with no side effects or adverse reaction reported.

Follow-up examinations occurred and results are shown as below

BEFORE

AFTER

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 2 MONTHS

Age 38 years old, male of subcontinental Pakistani background has been losing his hair gradually over the last 8 years. He agreed to undertake a home care treatment protocol that involves daily application of reZULT serum (1.0ml per day) with a dermal roller (0.5mm).

The treatment was carried out daily over the course of two months with no side effects. or adverse reaction reported. Follow-up examinations occurred and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 2 MONTHS

Age 25 years old, male of Middle East background has been losing his hair gradually over the last 5 years. He agreed to undertake a home care treatment protocol that involves daily application of reZULT serum (1.0ml per day) with a dermal roller (0.5mm).

The treatment was carried out daily over the course of two months with no side effects. or adverse reaction reported.

Follow-up examinations occurred and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 4 MONTHS

Age 30 years old, male of subcontinental Pakistani background has been losing his hair gradually over the last 5 years . He agreed to undertake a home care treatment protocol that involves daily application of reZULT serum (1.0ml per day) with a dermal roller (0.5mm).

The treatment was carried out daily over the course of four months with no side effects. or adverse reaction reported. Follow-up examinations occurred and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 2 MONTHS

Age 46 years old, male of subontinental Pakistani background has been losing his hair gradually over the last 10 years . He agreed to undertake a home care treatment protocol that involves daily application of reZULT serum (1.0ml per day) with a dermal roller (0.5mm).

The treatment was carried out daily over the course of two months with no side effects. or adverse reaction reported.

Follow-up examinations occurred and results are shown as below

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 2 MONTHS

Age 30 years old, male of subontinental Pakistani background has been losing his hair gradually over the last 4 years . He agreed to undertake a home care treatment protocol that involves daily application of reZULT serum (1.0ml per day) with a dermal roller (0.5mm).

The treatment was carried out daily over the course of two months with no side effects. or adverse reaction reported.

Follow-up examinations occurred and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 6 MONTHS

Age 55 years old, male of European background has been losing his hair gradually over the last 15 years. He agreed to undertake a home care treatment protocol that involves daily application of reZULT serum(1.0ml per day) with a dermal roller (0.5mm).

The treatment was carried out daily over the course of six months with no side effects. or adverse reaction reported.

Follow-up examinations occurred and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 6 MONTHS

Age 30 years old, male of middle east background has been losing his hair gradually over the last 5 years. He agreed to undertake a home care treatment protocol that involves daily application of reZULT serum (1.0ml per day) with a dermal roller (0.5mm).

The treatment was carried out daily over the course of six months with no side effects. or adverse reaction reported.

Follow-up examinations occurred and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 2 MONTHS

Age 30 years old, male of subontinental Pakistani background has been losing his hair gradually over the last 4 years . He agreed to undertake a home care treatment protocol that involves daily application of reZULT serum (1.0ml per day) with a dermal roller (0.5mm).

The treatment was carried out daily over the course of two months with no side effects or adverse reaction reported.

Follow-up examinations occurred and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 2 MONTHS

Age 40 years old, male of subontinental Pakistani background has been losing his hair gradually over the last 4 years . He agreed to undertake a home care treatment protocol that involves daily application of reZULT serum (1.0ml per day) with a dermal roller (0.5mm).

The treatment was carried out daily over the course of two months with no side effects. or adverse reaction reported.

Follow-up examinations occurred and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT
ONLY FOR 4 WEEKS

Age 60 years, male of Asian background has been losing his hair on the eye brows area gradually over the past 10 years. He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT Eye Brows Seurm daily.

The treatment was carried out daily over the course of 4 weeks with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown below.

BEFORE

AFTER

MONTASER®

CASE STUDY

HAIR REGROWTH ON A SCAR

ONLY FOR 12 WEEKS

Age 20 years, female - had a scar tissue on her forehead where there were no hair growth, a home treatment by daily applying reZULT serum onto the scar tissue area for 12 weeks.

Follow-up examinations occurred every four weeks and results are shown.

BASELINE



4WEEKS

8WEEKS

12WEEKS

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 8 WEEKS

Age 52 years, female with a region of limited hair growth on her crown, front and bald patches at center part, due mainly from Menopause.

She agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (1.5mm).

At first Janette was very skeptical, but as time has gone on, she has noticed a change in her hair growth on her scalp. The treatment was carried out daily over the course of 8 weeks with no side effects or adverse events reported.

Follow-up examinations occurred every four weeks and results are shown.

SEPT 2017 OCT 2017

NOVEMBER 2017

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 8 WEEKS

Age 57 years , male of European background has been losing his hair gradually over the past 15 years with a region of limited hair growth on his crown, front and back head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (1.5mm).The treatment was carried out daily over the course of 8 weeks with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown below.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 3 WEEKS

Age 45 years , male of Asian background has been losing his hair gradually over the past 5 years with a region of limited hair growth on his crown, front and back head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (1.5mm).The treatment was carried out daily over the course of 8 weeks with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 3 WEEKS

Age 40 years , male has been losing his hair gradually over the past 5 years with a region of limited hair growth on his crown, front and back head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (1.5mm).

The treatment was carried out daily over the course of 3 weeks with no side effects or adverse events reported. Follow-up examinations occurred every three weeks and results are shown.

BASELINE

3 WEEKS

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 3 MONTHS

Age 41 years , male of Middle Eastern background has been losing his hair gradually over the past 10 years with a region of limited hair growth on hisback head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (1.5mm).The treatment was carried out daily over the course of three months with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown.

BEFORE



AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 6 WEEKS

Age 44 years , male of Middle Eastern background has been losing his hair gradually over the past 10 years with a region of limited hair growth on his front, crown and back head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (0.5mm).The treatment was carried out daily over the course of 6 weeks with no side effects or adverse events reported. Follow-up examinations occurred every week results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 6 WEEKS

Age 50 years , male of European background has been losing his hair gradually over the past 15 years with a region of limited hair growth on his front and crown head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (0.5mm).The treatment was carried out daily over the course of 6 weeks with no side effects or adverse events reported.. Follow-up examinations occurred every week and results are shown.

BEFORE

AFTER

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 11 WEEKS

Age 43 years, male of Middle East background has been losing his hair gradually over the past 20 years with a region of limited hair growth on his front, back and crown head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (0.5mm).The treatment was carried out daily over the course of 11 weeks with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown.

BEFORE



AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 6 WEEKS

Age 52 years, female of European back ground has been losing her hair gradually over the past 30 years. Tried several topical hair loss products without any success.

She agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1m per day) with a dermal roller (0.5mm). The treatment was carried out daily over the course of 6 weeks with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 3 MONTHS

Age 55 years , male of Asian background has been losing his hair gradually over the past 10 years with a region of limited hair growth on his back head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (1.5mm).The treatment was carried out daily over the course of 3 months with no side effects or adverse events reported.. Follow-up examinations occurred every week and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 3 MONTHS

Age 55 years , male of European background has been losing his hair gradually over the past 10 years with a region of limited hair growth on his front, crown and backhead.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (1.5mm).The treatment was carried out daily over the course of 3 months with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 12 WEEKS

Age 52 years, female - has been losing her hair gradually over the past 30 years. Tried several topical hair loss products without any success.

She agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1m per day). The treatment was carried out daily over the course of 12 weeks with no side effects or adverse events reported. Follow-up examinations occurred every four weeks and results are shown.



BASELINE | 4 WEEKS | 8 WEEKS | 12 WEEKS

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 2 MONTHS

Age 45 years , male of Anglo-Saxon background has been losing his hair gradually over the past 15 years with a region of limited hair growth on his back head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (0.5mm).The treatment was carried out daily over the course of 2 months with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 2 MONTHS

Age 45 years , Female of European background has been suffering from Alopecia areata over the past 5 years.

She agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (1.5mm).The treatment was carried out daily over the course of 2 months with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown.

BEFORE



AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 12 WEEKS

Age 27 years, male - has been losing his hair gradually over the past 8 years, tried various clinical treatment of LED light therapy and homecare treatment of oral medication of Finasteride and Monoxide without any beneficial outcome.

Agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day). The treatment was carried out daily over the course of 12 weeks with no side effects or adverse events reported. Follow-up examinations occurred every four weeks and results are shown below.



BASELINE | 3 WEEKS | 6 WEEKS | 9 WEEKS WITH LASER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 6 WEEKS

Age 57 years, male has been losing his hair gradually over the past 10 years with a region of limited hair growth on his crown, front and back head. He had never tried any topical hair re-growth treatment as he is skeptical that there is no lotion on the market that will reverse the process and more than likely be made from toxic chemicals or undergo expensive clinical hair treatment.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (1.5mm). The treatment was carried out daily over the course of 6 weeks with no side effects or adverse events reported. Follow-up examinations occurred every three weeks and results are shown below.

BASELINE | 3 WEEKS | 6 WEEKS

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 10 WEEKS

Age 55 years, male - with a region of limited hair growth on his crown, front, middle and back head. Tried seeking medication drugs to recover hair growth - was not successful.

Started using Montaser reZULT serum since end of August (2017). The treatment protocol was carried out daily over the course of 10 weeks with no side effects or adverse events reported. After a 4 weeks treatment there was a very pronounced difference. His hair has become much thicker.

BASELINE

4 WEEKS

10 WEEKS

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 6 WEEKS

Age 45 years, male of Middle East background has been losing his hair gradually over the past 5 years with a region of limited hair growth on his back head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (0.5mm).The treatment was carried out daily over the course of 6 weeks with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 6 WEEKS

Age 44 years, male of Anglo Saxon background has been losing his hair gradually over the past 10 years with a region of limited hair growth on his back head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (0.5mm).The treatment was carried out daily over the course of 6 weeks with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown..

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 1 MONTH

Age 48 years , male of Middle Eastern background has been losing his hair gradually over the past 10 years with a region of limited hair growth on his front, crown and back head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (0.5mm).The treatment was carried out daily over the course of one month with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 5 MONTHS

Age 30 years, male of Indian background has been losing his hair gradually with a region of limited hair growth on his back head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (1.5mm).The treatment was carried out daily over the course of 5 months with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown.

BEFORE



AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 4 WEEKS

Age 45 years, female of European background has been losing her hair gradually over the past 30 years. Tried several topical hair loss products without any success.

She agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1m per day) with a dermal roller (1.5mm). The treatment was carried out daily over the course of 4 weeks with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 8 WEEKS

Age 44 years , male of Middle Eastern background has been losing his hair gradually over the past 10 years with a region of limited hair growth on his front, crown and back head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (1.5mm).The treatment was carried out daily over the course of one month with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 8 WEEKS

Age 34 years , male of European background has been losing his hair gradually over the past 5 years with a region of limited hair growth on his crown, front and back head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (1.5mm).The treatment was carried out daily over the course of 8 weeks with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 8 WEEKS

Age 44 years, male of Middle East background has been losing his hair gradually over the past 20 years with a region of limited hair growth on his back, front and side head.

He agreed to undertake clinical treatment involved derma-stamp and laser therapy every fortnight which was combined with a homecare treatment that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (1.5mm). The treatment was carried out daily over the course of 8weeks with no side effects or adverse events reported.Follow-up examinations occurred every week and results are shown.

BEFORE

AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 10 WEEKS

Age 44 years, male of Anglo Saxon background has been losing his hair gradually over the past 5 years with a region of limited hair growth on his back head. He agreed to undertake a homecare treatment that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (1.5mm).

The treatment was carried out daily over the course of 10 weeks with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown.

BEFORE



AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 4 WEEKS

Age 30 years, male of Middle East background has been losing his hair gradually with a region of limited hair growth on his front and back head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (0.5mm).The treatment was carried out daily over the course of 4 weeks with no side effects or adverse events reported.

Follow- up examinations occurred every week and results are shown.

BEFORE DAY 30

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 12 WEEKS

Age 55 years, male of Middle East background has been losing his hair gradually with a region of limited hair growth on his back head.

He agreed to undertake a homecare treatment protocol that involved daily application of the Montaser reZULT serum (1ml per day) with a dermal roller (0.5mm).The treatment was carried out daily over the course of 12 weeks with no side effects or adverse events reported. Follow - up examinations occurred every week and results are shown.



BEFORE AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 3 MONTHS

Age 30 years old, male of subcontinental Pakistani background has been losing his hair gradually over the last 8 years. He tried various home care topical mediation of Monoxide without any obvious outcome.

He agreed to undertake a home care treatment protocol that involved daily application of Montaser reZULT serum(1ml per day) with a dermal roller (0.5mm). The treatment was carried out daily over the course of three months with no side effects or adverse events reported. Follow-up examinations occurred every week and results are shown.

BEFORE AFTER

MONTASER®

CASE STUDY

HOME CARE TREATMENT

ONLY FOR 6 MONTHS

Age 57 years old, male of Middle Eastern background has been losing his hair gradually over the last 20 years.

He agreed to undertake a home care treatment protocol that involved daily application of Montaser reZULT serum(1ml per day) with a dermal roller (1.0mm). The treatment was carried out daily over the course of six months with no side effects or adverse events reported. Follow - up examinations occurred every week and results are shown.

BEFORE

AFTER

MONTASER®

MONTASER®

reZULT®

STEM CELL SOLUTION

The Stem Cell Hair Growth Factor from *Montaser Cosmeceuticals* delivers growth factors to stimulate dormant hair cells and follicles to start producing hair again.

How Carrot Stem Cell® Growth Factors Help Hair Re-growth

- Inhibits DHT
- Unblocks the follicle entrance
- Opens the delivery channel for nutrients
- Enhances nutrient delivery to the stem cell
- Stimulates the dermal layer to prolong hair growth and strengthen hair roots

Other Active Ingredients

- Vitamin B6 (5%)
- Zinc (4%)
- Azelaic acid (3%)

A study by the British Journal of Dermatology in 2007 proved that the combination of Vitamin B6 with Zinc and Azelaic Acid in low concentrations can hinder 90% of harmful activity of testosterone formation of DHT in the hair follicle. The results were backed by the Journal of Korean Society of Plastic and Reconstructive Surgery.

Stem Cell Hair Growth Factors Instructions

Designed for self-application, our easy, hygienic at-home program can be used in conjunction with in- clinic treatment (laser therapy, PRP, micro-needling) or as a stand-alone treatment.

12M

Made in Australia



MONTASER®

reZULT®

STEM CELL SOLUTION

MONTASER COSMECEUTICALS
2-4 Burleigh Court, Nunawading VIC 3131, Australia

E: info@montaser.com.au
W: **www.montaser.com.au**

MontaserAustralia